

Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water —

Part 1: Specification

ICS 13.060.20

Kowsar San'at Espadana Co.

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee EH/6, Effects of materials on water quality, upon which the following bodies were represented:

Automatic Vending Association of Britain
 British Cement Association
 BCF — British Coatings Federation Ltd.
 British Malleable Tube Fittings Association
 British Plastics Federation
 British Plumbing Fittings Manufacturers' Association
 British Precast Concrete Federation Ltd.
 British Rubber Manufacturers' Association Ltd.
 British Water
 DEFRA — Water and Land Directorate
 Galvanizers Association
 Laboratory of the Government Chemist
 Pipeline Industries Guild
 UK Steel Association
 Water Regulations Advisory Scheme
 Water Research Centre plc

Kowsar San'at Espadana Co.

This British Standard, having been prepared under the direction of the Health and Environment Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 May 2000

© BSI 31 March 2005

Amendments issued since publication

Amd. No.	Date	Comments
14717	21 January 2004	See foreword
15475	31 March 2005	See foreword

The following BSI references relate to the work on this British Standard:
 Committee reference EH/6
 Draft for comment 99/560123 DC

ISBN 0 580 33103 2



Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
Introduction	1
1 Scope	2
2 Normative references	2
3 Terms and definitions	2
4 Odour and flavour of water	3
5 Appearance of water	3
6 Growth of aquatic microorganisms	3
7 The extraction of substances that may be of concern to public health	3
8 The extraction of metals	4
9 High temperature tests	5
10 Odour and flavour of water from hoses intended for food and drink application	5
Annex A (informative) Scheme of testing showing the relationship between the standards of the BS 6920 series	6
Bibliography	7
Table 1 — Maximum allowable concentrations of certain metals	4

Kowsar San'at Espadana Co.



KOWSAR

www.KowsarPipe.com

[Kowsar San'at Espadana Co.](http://www.KowsarPipe.com)

Foreword

This part of BS 6920 has been prepared by Technical Committee EH/6. It supersedes BS 6920-1:1996, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags $\boxed{A1}$ $\langle A1 \rangle$.

It is intended that appropriate British Standards and other specifications should cross-refer to this part of BS 6920 if they specify requirements for the effects of the specified product on the quality of water intended for human consumption.

BS 6920 is published in several parts, namely *Part 1: Specification*, *Part 2: Methods of test*, *Part 3: High temperature tests* and *Part 4: Method for the GCMS identification of water leachable organic substances*.

Part 2 is further subdivided into a number of sections and subsections as follows.

Section 2.1: Samples for testing;

Section 2.2: Odour and flavour of water;

Subsection 2.2.1: General method of test;

Subsection 2.2.2: Method of testing odours and flavours imparted to water by hoses and composite pipes and tubes;

Subsection 2.2.3: Method of testing odours and flavours imparted to water by hoses for conveying water for food and drink preparation;

Section 2.3: Appearance of water;

Section 2.4: Growth of aquatic microorganisms test;

Section 2.5: The extraction of substances that may be of concern to public health;

Section 2.6: The extraction of metals.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 7 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.



Introduction

The most common consumer complaint concerning the wholesomeness of water intended for human consumption is the presence of unacceptable taste. The role of construction and plumbing materials in giving rise to certain types of taste in water is well documented. Although the assessment of odours and flavours is subjective, semi-quantitative methods of assessing odours and flavours in water have been used by the water industry for operational control and quality monitoring purposes for many years. The EC Directive relating to the quality of water intended for human consumption (80/778/EEC) [1] specified for the first time a maximum admissible threshold level for taste in water intended for human consumption, and this value is derived from the assessment by individuals of a series of successive dilutions of the water sample under examination. The latest version of this Directive (98/83/EC) [4] states that odour and taste of water shall be “acceptable to consumers and no abnormal change” (sic).

The criteria used to assess the ability of a product to support an appreciable growth of aquatic microorganisms have been determined from a review of data obtained from the use of the method described in BS 6920-2.4:2000 during investigations into incidents of microbial contamination of water intended for human consumption over a period of 20 years.

When samples drawn from more than one commercial batch of a product are compared for the purpose of quality assurance or formulation development, some variation in the results should be anticipated. Any variation in results should be critically examined in light of the precision of the method and also the homogeneity of the material or the conditions employed during manufacture or storage, as these can substantially alter the characteristics of some products with respect to the availability of chemical substances that act as nutrients for microbial growth.

The criteria given in Clause 6 have been set in the light of the precision of the method, which was calculated on the basis of a homogeneous reference material.

Careful consideration has been given to the desirability of some form of toxicological evaluation of extracts from products in contact with water intended for human consumption. It has been concluded that some form of toxicological evaluation is essential, particularly in view of the scarcity of toxicological data on many chemicals and the lack of knowledge of the chemical species which may be extracted from products in contact with water intended for human consumption.

Since there is no single test that can discriminate between harmless and harmful extracts, the cytotoxicity requirements given in Clause 7 are meant only as a preliminary screening test for extracts from products in contact with water intended for human consumption. Passing the tests indicates that extracts probably do not contain significant amounts of acutely toxic substances, but the tests cannot be used to indicate the presence or absence of substances that may be harmful on prolonged exposure. A failure in the tests indicates that the product requires further investigation before it can be accepted for use in contact with water intended for human consumption.

Clause 8 deals with the extraction of certain metals, undesirable in excessive amounts, from non-metallic products. The limits for these metals are given in Table 1. The range of metals included in this specification reflects the current knowledge and experience of metals likely to arise in waters intended for human consumption, as a result of contact with the materials of construction of water storage and distribution systems. Products submitted for testing in accordance with BS 6920 in the future may contain other metals which may be undesirable in excessive amounts but which are not listed in Table 1. In this case, it will be necessary to obtain an expert opinion from a competent national authority on the desirability of including their determinations in this test.

These tests were originally designed for materials used in contact with cold water intended for human consumption at temperatures up to 25 °C. BS 6920-3 was introduced to allow these tests to be applied to materials likely to be used in contact with hot water which may subsequently be drunk.

Clause 9 and Clause 10 deal with the specific requirements of products intended for use in contact with hot water intended for human consumption or culinary use, and of hoses intended for conveying water for food and drink preparation respectively.

NOTE A diagram showing the relationship of the various parts and sections of this standard is given in Annex A.

1 Scope

This part of BS 6920 specifies requirements for the suitability of non-metallic products, including water fittings and components, pipes and materials used in coating, protection, lining, jointing, sealing and lubrication, for use in contact with either hot or cold water intended for human consumption, with regard to their effect on the quality of the water.

NOTE In some cases the appropriate national authorities or regulators may require specific additional testing to be carried out on extracts from certain types of these materials; interpretation of the results from additional testing is the responsibility of the requesting body.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of BS 6920. For dated references, subsequent amendments to or revisions of, any of these publications do not apply. For undated references, the latest edition of the publication referred to applies.

BS 6920-2.2.1, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 2: Methods of test — Section 2.2: Odour and flavour of water — Subsection 2.2.1: General method of test.*

BS 6920-2.2.2, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 2: Methods of test — Section 2.2: Odour and flavour of water — Subsection 2.2.2: Method of testing A_1 odours and flavours imparted to water by hoses and composite pipes and tubes A_1 .*

BS 6920-2.2.3, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 2: Methods of test — Section 2.2: Odour and flavour of water — Subsection 2.2.3: Method of testing A_1 odours and flavours A_1 imparted to water by hoses for conveying water for food and drink preparation.*

BS 6920-2.3, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 2: Methods of test — Section 2.3: Appearance of water.*

BS 6920-2.4, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 2: Methods of test — Section 2.4: Growth of aquatic microorganisms A_1 test A_1 .*

BS 6920-2.5, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 2: Methods of test — Section 2.5: The extraction of substances that may be of concern to public health.*

BS 6920-2.6, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 2: Methods of test — Section 2.6: The extraction of metals.*

BS 6920-3, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — Part 3: High temperature tests.*

3 Terms and definitions

For the purposes of this part of BS 6920, the following definitions apply.

3.1

water fitting

component associated with supply, distribution, and use of water, apart from its disposal

NOTE This definition is taken from BS 6100-3.3.

3.2

product

all or a component part of a manufactured item, in its finished form, that comes into contact with water

4 Odour and flavour of water

NOTE 1 See also paragraph one of the Introduction.

When assessed by the method given in BS 6920-2.2.1, the product shall be deemed suitable for contact with water intended for human consumption if:

- a) at least two of the three test panellists report that there is no discernible odour in the test extracts and no discernible flavour in the first dilutions of both the final unchlorinated and final chlorinated extracts;
- b) none of the panellists report flavour in the second dilutions.

These odour and flavour requirements shall also apply to hoses and laminate/composite pipes assessed in accordance with BS 6920-2.2.2. Hoses intended for conveying water for food and drink preparation shall also meet the additional requirements of Clause 10. If the results from the first extract conform to these requirements, the first extract shall be defined as the final extract.

NOTE 2 The method yields results for the first and the final extracts in a sequential series of seven extractions.

If two or more panellists report a flavour in the first dilution of the final (i.e. seventh) chlorinated or unchlorinated extracts, but not in the second dilution, then the product shall be deemed unsuitable for contact with water intended for human consumption unless two further samples are assessed and the results from both of these further samples are found to conform with the requirements of this clause.

5 Appearance of water

When assessed in accordance with BS 6920-2.3, the product shall be deemed suitable for contact with water intended for human consumption if the increase in colour and turbidity of the water in the final extract is not more than 5 standard units (of colour) mg/l Pt¹⁾ or 0.5 FNU, respectively. If a single sample does not conform to this requirement, then the product shall be deemed unsuitable for contact with water intended for human consumption unless two further samples are examined and the mean colour and turbidity of the final extracts of all the samples are not increased by more than 5 standard units (of colour) mg/l Pt¹⁾ or 0.5 FNU, respectively, after contact for 9 days (seven extractions).

6 Growth of aquatic microorganisms

NOTE See also paragraphs two, three and four of the Introduction.

When a product is examined by the method given in BS 6920-2.4, it shall be deemed not to support appreciable microbial growth if the mean dissolved oxygen difference (MDOD) is 2.39 mg/l or less.

If a single sample of a product gives an MDOD value that is greater than 1.69 mg/l but not more than 2.9 mg/l, then two further samples of the product shall be examined. If the arithmetic mean of the three MDOD values obtained is 2.39 mg/l or less, then the product shall again be regarded as not being capable of supporting an appreciable microbial growth when in contact with water intended for human consumption.

NOTE The significance of any bacteriostatic/bacteriocidal effects observed, and/or any changes in the appearance of the tested samples, may be assessed by the National Regulator.

7 The extraction of substances that may be of concern to public health

NOTE 1 See also paragraphs five and six of the Introduction.

In general, when a product is assessed by the method given in BS 6920-2.5, a product shall be regarded as being suitable for contact with water intended for human consumption if it exhibits a “non-cytotoxic”.

NOTE 2 There are no absolute criteria that can be applied to the results obtained with the methods given in BS 6920-2.5.

If the test product extract affects the morphology of the cell line in any way, test two further samples using fresh reagents. If these exhibit a “non-cytotoxic” response the products can be regarded as being suitable for contact with water intended for human consumption.

NOTE 3 ^{A2} Assistance can be gained by reference to the parameters in Annex 1, Part B of the EC Directive on the quality of water intended for human consumption (98/83/EC) [4], and schedule 1, Table B of the Water Supply (Water Quality) Regulations 2000 [2] ^{A2}.

¹⁾ Hazen units.

NOTE 4 Fittings in premises are considered by the Water Regulations Advisory Scheme. Materials used by water undertakers are covered by the following legislation.

NOTE 5 ^{A2} All water undertakers in England and Wales are subject to the requirements of the Water Supply (Water Quality) Regulations 2000 [2], which came into force at the end of December 2003. Regulation 31 refers to the use of substances or products in the treatment and provision of water supplies. Essentially the regulation requires that a water undertaker does not, other than for the purpose of agreed testing and research, apply to or introduce into water intended for human consumption, any substance or product unless it has been approved by the Secretary of State or the Secretary of State is satisfied that it is unlikely to affect adversely the quality of the water. ^{A2}

8 The extraction of metals

NOTE 1 See also paragraph seven of the Introduction.

When tested in accordance with BS 6920-2.6, the product shall be deemed suitable for contact with water intended for human consumption if the amounts of the specified metals in the final extracts do not exceed the specified limits given in Table 1.

If the limit for any metal is exceeded in either of the final extracts, then the product shall be deemed unsuitable for contact with water intended for human consumption unless a further three untested samples are tested and the amounts of the specified metals in all of the further final extracts do not exceed the limits specified in Table 1.

^{A2}

Table 1 — Maximum allowable concentrations of certain metals

Metal	Maximum allowable concentrations µg/l	Reporting limits ^a µg/l	Expression of results
Aluminium	200	20	Al µg/l
Antimony	5	0.5	Sb µg/l
Arsenic	10	1	As µg/l
Barium	1 000	100	Ba µg/l
Cadmium	5	0.5	Cd µg/l
Chromium	50	5	Cr µg/l
Iron	200	20	Fe µg/l
Lead	25	1 ^a	Pb µg/l
Manganese	50	5	Mn µg/l
Mercury	1	0.1	Hg µg/l
Nickel	20	2	Ni µg/l
Selenium	10	1	Se µg/l

NOTE 1 The significance of results that conform to the specified limits in Table 1 in the seventh test extracts, but exceed the limits in the first extracts may be assessed by the National Regulator.

NOTE 2 The National Regulator may also specify analysis for other metals and assess the results obtained.

^a ^{A2} The reporting limit for lead is based upon the reduced requirements for lead specified in the Water Supply (Water Quality) Regulations 2000 [2]. In many cases the analytical detection limits for a particular method in a particular laboratory may well be better than the National Regulator's requirement for the reporting limits. ^{A1}

^{A2}

When a metal fitting has been used in the testing of a product, the assessment shall be made on the differences in concentrations of the specified metals between the final extracts and the metal fitting blank test.

If the results from the first 24 h extracts conform to the limits in Table 1, then the first extracts shall be defined as the final extracts.

NOTE 2 Experience from testing products using the method described in BS 6920-2.6 over a number of years has shown that products that satisfy these criteria on the first 24 h extracts also conform to the final 24 h extracts.

9 High temperature tests

NOTE See also paragraph eight of the Introduction.

When tested in accordance with BS 6920-3, products shall be deemed suitable for contact with hot water intended for human consumption or culinary use up to and including the chosen test temperature if the results obtained conform to Clause 4, Clause 5, Clause 7 and Clause 8.

Products that conform to these high temperature test requirements shall be deemed suitable for use in contact with cold water without any further testing.

10 Odour and flavour of water from hoses intended for food and drink application

NOTE 1 See also paragraph eight of the Introduction.

When assessed in accordance with BS 6920-2.2.3, both samples of hose shall give no reportable odour to the undiluted test water, or flavour to the dilution of the test water, from the second (final) extraction.

NOTE 2 The requirement for this test is considerably more stringent than that of Clause 4 (odour and flavour of water).


Kowsar San'at Espadana Co.



Annex A (informative)

Scheme of testing showing the relationship between the standards of the BS 6920 series

A2



A2

Bibliography

Standards publications

BS 6100:1992, *Glossary of building and civil engineering terms — Section 3: Sanitation — Subsection 3.3: Sanitation.*

BS 6920-4:1997, *Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water — A_1 Part 4: Method for the GCMS identification of water leachable organic substances A_1 .*

Other documents

- [1] EC Directive relating to the quality of water intended for human consumption (80/778/EEC). Official Journal of the European Communities, No. L 229/11 to 15, 1988.
- [2] A_2 GREAT BRITAIN. The Water Supply (Water Quality) Regulations 2000. Statutory Instruments 2000, No. 3184 (and amendments). London: The Stationery Office. A_2
- [3] GREAT BRITAIN. The Water Fittings and Materials Directory. Oakdale: Water Regulations Advisory Scheme.
- [4] EC Directive on the quality of water intended for human consumption (98/83/EC). Official Journal of the European Communities, No L330/32 to 54, 1998.
- [5] GREAT BRITAIN. The Water Supply (Water Fittings) Regulations 1999. Statutory Instruments 1999, No. 1148 (and amendments). London: The Stationery Office.

Kowsar San'at Espadana Co.



BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001. Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager. Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553. Email: copyright@bsi-global.com.

BSI
389 Chiswick High Road
London
W4 4AL

